

Insulated Magnet Bare Copper Wire 0.05mm 0.06mm Self **Bonding**

Basic Information

. Place of Origin: china ShengQuan Brand Name:

· Certification: ISO9001:2000

C10200 C10300 C11000 C12000 T1 T3 Model Number:

• Minimum Order Quantity: 1ton

• Price: USD1500-USD6000

· Packaging Details: Standard Export Sea-Worthy Packing

• Delivery Time: 5-15days

Payment Terms: L/C, T/T, Western Union

. Supply Ability: 15000Tons



Product Specification

· Width: 3.0mm-1200mm, 0.5--200mm, Customized

• Cu (min): 99.90%,99%,65%

Thickness: 0.1mm~200mm,0.2mm-3.0mm

. Conductor Type: Stranded Or Solid, enamelled Copper Wire . Conductor Material: Copper, Copper Clad Aluminum, Annealed Copper Wire, CU/CCA/CCAM

Heating, motor, Transformer, Rectifier And · Application:

Such Coil, Ultra Fine Rectangular Enameled Wire For Transfomer

Type: Insulated,Bare,Other

Optional, Red, Copper, Requirement · Color:

JIS,IEC,GB,NEMA Standard:

· Highlight: 0.06mm Bare Copper Wire,

Magnet Bare Copper Wire, 0.05mm insulated copper wire



Product Description

Copper 0.05mm 0.06mm 0.08mm Self Bonding Magnet Wire Super Thin Color

Copper Wire Is Efficient for Communications

Twisted pairs of copper wire can achieve data speeds of up to 10 gigabits per second, allowing fast communications in computing. Fiber optics are no longer the only choice for high-bandwidth applications. In fact, telephone companies can even leverage existing copper lines to deliver high-speed, low-cost communications and networking options.

A Lot of Copper Is Used in Building Construction

Nearly half of all copper used is in building construction. There are about copper wire in the average single-family home and about 125 pounds of copper building wire in the average multifamily unit. Also, there are about 40 pounds of copper electrical components in the average U.S.-built automobile (some luxury cars now have around one mile's worth of copper wires). Overall, electrical wire, telecommunication cables, and electronics account or three-quarters of the copper used in the U.S.

Typical Physical Properties of Alloy 25(UNS.C17200) Copper Beryllium Alloy.

| Density (g/cm3): | 8.36 |
|---|-----------|
| Density before age hardening (g/cm3): | 8.25 |
| Elastic Modulus (kg/mm2 (103)): | 13.4 |
| Thermal Expansion Coefficient (20 °C to 200 °C m/m/°C): | 17 x 10-6 |
| Thermal Conductivity (cal/(cm-s-°C)): | 0.25 |
| Melting Range (°C): | 870-980 |

Mechanical and Electrical Properties of Alloy 25(UNS.C17200) Copper Beryllium Round Wires:

| Alloy | II amnar (*) | Heat Treatment | Tensile Strength Mpa | | Electrical Conductivity percent IACS |
|------------------------|------------------|-------------------|----------------------------|-------|--------------------------------------|
| CUBERYLL IUM 172 | A (TB00) | / | 400 580 | 30-60 | 15-19 |
| | 1/4 H (TD01) | / | 570 795 | 3~25 | 15-19 |
| | 1/2 H | | 710 930 | 2~15 | 15-19 |
| | (TD02) | | | | |
| | 3/4 H (TD03) | / | 840 1070 | 2~8 | 15-19 |
| | H (TD04) | / | 915 1140 | 1~6 | 15-19 |
| CUBERYLL IUM 172 | AT (TF00) | 3 hr 315 | 1050~1380 | 3 min | 22-28 |
| | 1/4 HT (TH01) | 2 hr 315 | 1150~1450 | 2 min | 22-28 |
| | 1/2 HT (TH02) | 1.5hr 315 | 1200~1480 | 2 min | 22-28 |
| | 3/4 HT (TH03) | 1.0 hr 315 | 1250~1585 | 2 min | 22-28 |
| | HT (TH04) | 1.0hr 315 | 1300~1585 | 1 min | 22-28 |



Wuxi Shengquan Metal Products Co., Ltd. is located in Wuxi City, Jiangsu Province. The company's products include seamless pipe, color coated plate, galvanized plate, aluminum plated plate, aluminum plate, copper

plate, carbon steel pipe, wear-resistant plate, building materials, pipes and other products, which are widely used in chemical industry, pharmacy, electric power, shipbuilding, railway, automobile, papermaking and construction engineering. We ensure that customers are carefreein the whole process of product consultation, procurement, ordering and use! Over the years, the company has won the trust of our customers with high-quality products and first-class service. With your favor, our products are sold all over the world! We have customers in South America, North America and Southeast Asia. With the support of new and old customers, we will work harder and more enterprising to repay more customers with better and more efficient services.

Packing & Delivery





1. Who are we?

We are based in wuxi, China, start from 2021,sell to Mid East(35.00%),South America(20.00%),Southeast Asia(20.00%),Africa(5.00%),Eastern Asia(5.00%),Northern Europe(5.00%),Southern Europe(5.00%),South Asia(5.00%). There are total about 51-100 people in our office.

- 2. How can we guarantee quality? Always a pre-production sample before mass production; Always final Inspection before shipment;
- 3. What can you buy from us? steel sheet coil,ppgi ppgl,galvanized steel coil,aluminum steel coil sheet,stainless steel
- 4. Why should you buy from us not from other suppliers? Integrating the superior resources of China's steel industry, we provide customers with high-quality

steel products at preferential prices, and can ensure that the goods are delivered to customers in a timely manner.

5. What services can we provide?

Accepted Delivery Terms: FOB,CFR,CIF,EXW,FCA,DDP,DDU,Express Delivery

Accepted Payment Currency:USD,EUR,CNY;

Accepted Payment Type: T/T,L/C,Credit Card,Weste



15370898866

523639146@qq.com

e metalsstainless-steel.com

Intersection of Xigang Road and Chuntang Road, Xishan District, Wuxi City