


## 0.2-16mm Thickness Stainless Steel Coil Strip for Standard Export Sea-worthy Package

### Our Product Introduction

for more products please visit us on [metalsstainless-steel.com](http://metalsstainless-steel.com)

#### Basic Information

- Place of Origin: china
- Brand Name: ShengQuan
- Certification: ISO9001:2000
- Model Number: 201/304/304L/316/316L/321/309/310/32750/32760/9008
- Minimum Order Quantity: 1ton
- Price: USD1500-USD6000
- Packaging Details: Standard Export Sea-Worthy Packing
- Delivery Time: 5-15days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 15000Tons



#### Product Specification

- Type: Plate,Coil,stainless Steel Sheet
- Standard: ASTM,JIS,AISI,EN,GB
- Length: Customer's Request
- Thickness: 0.3mm-120mm,0.18-1.5mm,0.2-60mm,0.45-5mm,0.01-200mm
- Technique: Hot Rolled,Cold Rolled
- Grade: SGCC,Q235
- Surface: Customer Request
- Color: RAL Color,BLACK Color
- Highlight: ss 304 coil, ss coil 304, ss304 coil



## Product Description

### 0.2-16mm Thickness Stainless Steel Coil Strip for Standard Export Sea-worthy Package

One of the materials that may be used in a variety of industries the most easily is stainless steel 304 coils. These goods are used for a range of tasks, including the creation of culinary equipment, as well as in high-end manufacturing facilities. They are affordable, portable, very durable, and long-lasting. They don't need any form of maintenance. Once they're installed, this does not need to be replenished regularly.

Stainless steel coils are versatile and may meet a range of requirements. It is created by hot rolling stainless steel slabs into thin sheets, which are subsequently wound up. The ideal temperature for rolling out this is between 1100 to 1300 ° C.

|                     |                                                                                                                                                                                             |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Name        | sheets/plate/coil                                                                                                                                                                           |
| Thickness           | 5mm-450mm                                                                                                                                                                                   |
| Width               | 50mm-1500mm or as required                                                                                                                                                                  |
| Length              | 3000mm, 6000mm or as required                                                                                                                                                               |
| Standard            | ASTM A36/A36M-03a                                                                                                                                                                           |
| Technique           | Hot rolled                                                                                                                                                                                  |
| Surface Treatment   | According to customer's requirement                                                                                                                                                         |
| Thickness Tolerance | ±0.01mm~ ±0.05mm                                                                                                                                                                            |
| Material            | A36                                                                                                                                                                                         |
| Application         | It is suitable for riveting, bolting and welding structures for bridges and buildings, as well as general-purpose structural steel, carbon steel, section steel, steel plate and bar steel. |
| MOQ                 | 1 ton , We can accept sample order.                                                                                                                                                         |
| Shipment Time       | Within 15-20 workdays after receiving deposit or workable L/C                                                                                                                               |
| Export Packing      | Waterproof paper, and steel strip packed.Standard Export Seaworthy Package.Suit for all kinds of transport,or as required                                                                   |
| Capacity            | 250,000 tons/year                                                                                                                                                                           |



### Chemical Composition :

| C    | Si  | Mn        | P    | S    | Cu (When copper containing is specified) |
|------|-----|-----------|------|------|------------------------------------------|
| ≤%   | ≤%  | %         | ≤%   | ≤%   | ≥%                                       |
| 0.25 | 0.4 | 0.80-1.20 | 0.04 | 0.05 | 0.2                                      |

### Physical Properties :

|                 |            |
|-----------------|------------|
| ensile strength | 400-550MPa |
| Yield strength  | ≥250MPa    |
| Elongation      | 20%        |



#### Packing & Delivery

##### 1. Who are we?

We are based in wuxi, China, start from 2021, sell to Mid East(35.00%), South America(20.00%), Southeast Asia(20.00%), Africa(5.00%), Eastern Asia(5.00%), Northern Europe(5.00%), Southern Europe(5.00%), South Asia(5.00%). There are total about 51-100 people in our office.

##### 2. How can we guarantee quality?

Always a pre-production sample before mass production;

Always final Inspection before shipment;

##### 3. What can you buy from us?

steel sheet coil, ppgi ppgl, galvanized steel coil, aluminum steel coil sheet, stainless steel

##### 4. Why should you buy from us not from other suppliers?

Integrating the superior resources of China's steel industry, we provide customers with high-quality steel products at preferential prices, and can ensure that the goods are delivered to customers in a timely manner.

##### 5. What services can we provide?

Accepted Delivery Terms: FOB, CFR, CIF, EXW, FCA, DDP, DDU, Express Delivery

Accepted Payment Currency: USD, EUR, CNY;

Accepted Payment Type: T/T, L/C, Credit Card, Weste



**Wuxi Shengquan Metal Products Co., Ltd.**



15370898866



523639146@qq.com



metalsstainless-steel.com

Intersection of Xigang Road and Chuntang Road, Xishan District, Wuxi City