

## OEM Zinc Coated Zero Spangle Gi Sheet Plate For Roofing 60g/M2-275g/M2

201/304/304L/316/316L/321/309/310/32750/32760/90

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms:

**Product Specification** 

- Supply Ability:
- Or As Required

china

1ton

5-15days

15000Tons

ShengQuan

ISO9001:2000

USD1500-USD6000

L/C, T/T, Western Union

Standard Export Sea-Worthy Packing

- Thickness:

• Width:

• Type:

. Length:

• Grade:

- Technique:
- Highlight:
- Plate, Coil, stainless Steel Sheet Customer's Request 201/202/304 /304L/316/316L321/310s/410/420/430/440/43
- 0.3mm-120mm, 0.18-1.5mm, 0.2-60mm, 0.45-
- 5mm,0.01-200mm
- Cold Rolled, Hot Rolled
  - OEM zero spangle gi sheet, Roofing zero spangle gi sheet, OEM zinc coated gi sheet



## 0.1mm - 60mm Steel Plate Inox Cold Rolled Stainless Steel Sheet 304 2b Finish

As a widely used steel, it has good corrosion resistance, heat resistance, low-temperature strength, and mechanical properties; The stamping, bending and other hot working properties are good, and there is no heat treatment hardening phenomenon (use temperature - 196 ~800 ). Corrosion resistance in the atmosphere. If it is an industrial atmosphere or heavily polluted area, timely cleaning is necessary to avoid corrosion. Suitable for food processing, storage, and transportation. It has good processing performance and weldability. Plate heat exchangers, corrugated pipes, household items (category 1 and 2 tableware, cabinets, indoor pipelines, water heaters, boilers, bathtubs), automotive accessories (windshield wipers, mufflers, molded products), medical appliances, building materials, chemicals, food industry, agriculture, ship components, etc. 304 stainless steel is a nationally recognized food grade stainless steel.

Standard	AISI,ASTM,GB,JIS	Material	SGCC,S350GD+Z,S550
			GD+Z,DX51D,DX52D,DX 53D
Thickness	0.16-5mm	Width	25-1500mm
Tolerance	+/-0.02mm	Zinc coating	60-275g/m2
Coil ID	508-610MM	Coil Weight	3-8 tons
Technique	Hot rolled, cold rolled	Package	seaworthy package
Certification	ISO 9001- 2008,SGS,CE,BV	MOQ	25 TONS (in one 20ft FCL)
Delivery	15-20 days	Monthly Output	10000 tons
Surface treatment:	oiled, passivation or chromium-free passivation, passivation+oiled, chromium-free passivation+oiled, resistant to fingerprints or chromium-free resistant to fingerprints		
Spangle	regular spangle, minimal spangle, zero spangle, big spangle		
Payment	30%T/T in advanced+70% balanced;irrevocable L/C at sight		
Remarks	Insurance is all risks and accept the third party test		
	Mechanical propert	ies of galvanized steel	
Usage	Grade	Yield strength(MPa)	Tensile strength(MPa)
Punching galvanized steel	DC51D+Z	-	270-500
	DC52D+Z	140-300	270-420
	DC53D+Z	140-260	270-380
Structure galvanized steel	S280GD+Z	≥280	≥360
	S350GD+Z	≥350	≥420
	S550GD+Z	≥550	≥560





Packing & Delivery

1. Who are we?

We are based in wuxi, China, start from 2021,sell to Mid East(35.00%),South America(20.00%),Southeast Asia(20.00%),Africa(5.00%),Eastern Asia(5.00%),Northern Europe(5.00%),Southern Europe(5.00%),South Asia(5.00%). There are total about 51-100 people in our office.

2. How can we guarantee quality? Always a pre-production sample before mass production; Always final Inspection before shipment;

3.What can you buy from us?

steel sheet coil,ppgi ppgl,galvanized steel coil,aluminum steel coil sheet,stainless steel

4. Why should you buy from us not from other suppliers? Integrating the superior resources of China's steel industry, we provide customers with high-quality steel products at preferential prices, and can ensure that the goods are delivered to customers in a timely manner.

5. What services can we provide? Accepted Delivery Terms: FOB,CFR,CIF,EXW,FCA,DDP,DDU,Express Delivery Accepted Payment Currency:USD,EUR,CNY; Accepted Payment Type: T/T,L/C,Credit Card,Weste

